



SIRIUS 316



SIRIUS 316 is a compact, flexible and state-of-the-art OB truck. A multi-purpose High Definition OB truck, suitable for show programming, music recording and sporting events, built for productions up to 8 cameras.



GENERAL

EQUIPMENT

	8 (HD or UHD), unlimited in case of DiPlay
	HD
	HD/ UHD :4
	Sony MVS-3000A
	Lawo MC256

TRUCK DETAILS



Single expanding rigid
14 production workstations

POWER REQUIREMENT



3 phase 5p CEE 63Amp
3 phase 25KVA

SIRIUS 316



PROCESSING POWER

UP TO 12 CAMERAS UHD/HD

VIDEO

Video Mixer 1	Sony MVS-3000A, 2ME
Panel Video Mixer 1	Sony ICP-3000, 2ME
Multiviewers / Monitors	GV MV & Sony monitors
Video Mixer 2	n.a.
Panel VideoMixer 2	n.a.
Router	GV Hybrid 68x140
Controler	VSM
Cameras	Cameras & Lenses HD, UHD, Highspeed & Wireless on Request

AUDIO

Audio Mixer	Lawo MC256, 56 faders
Monitoring	Dynaudio
Devices	Waves server

INTERCOM

Intercom matrix	Riedel Artist 64x64
Intercom panels	18 Keypanels
Wireless intercom	Motorola

SERVERS / LSM

Server positions	4x EVS position
Server type	on request , Sony HDCAM/XDCAM, EVS XT 3 & XT VIA, SimplyLive Vibox 8 & 16, Sony PWS 4500

SIRIUS 316



DIMENSIONS & WEIGHT



MAIN TRUCK
99-BFR-6

Length	Truck : 10,3m
Height	4,00 m
Weight	20 tons
Width	2,50m



TENDER TRUCK
28-BGG-8

Length	Truck : 10,4m Width : 2,50m Height : 4,00m
Power Generator	n.a.
Weight	27 tons

IN SERVICE

Width	close : 2,50m open : 4,1m
-------	------------------------------

CONTACT

sales@nl.emglive.com

www.emglive.com