



ORION 208



ORION 208 is a flexible double-sided High Definition OB digital truck. ORION 208 has four workspaces and is built for productions of up to 12 cameras.



GENERAL

EQUIPMENT

	12 (HD or UHD), unlimited in case of DiPloy
	HD
	HD/ UHD :4
	GV Kayak HD300
	Studer Vista 8

TRUCK DETAILS



Double expanding rigid
16 production workstations

POWER REQUIREMENT



3 phase 5p CEE 63Ampphase
3 phase 30KVA

ORION 208



PROCESSING POWER

UP TO 12 CAMERAS UHD/HD

VIDEO

Video Mixer 1	GV Kayak HD300, 4ME
Panel Video Mixer 1	GV Kayenne XL, 3ME
Multiviewers / Monitors	Axon MV & Sony monitors
Video Mixer 2	n.a.
Panel VideoMixer 2	On request
Router	GV 192x224
Controler	VSM
Cameras	Cameras & Lenses HD, UHD, Highspeed & Wireless on Request

AUDIO

Audio Mixer	Studer Vista 8, 52 faders
Monitoring	Dynaudio 5.1
Devices	M6000, Spot-On

INTERCOM

Intercom matrix	RTS Cronus 64x64
Intercom panels	17 Keypanels
Wireless intercom	Motorola

SERVERS / LSM

Server positions	4x EVS position
Server type	on request , Sony HDCAM/XDCAM, EVS XT 3 & XT VIA, SimplyLive Vibox 8 & 16, Sony PWS 4500

ORION 208



DIMENSIONS & WEIGHT



MAIN TRUCK
BV-PF-51

Length	Truck : 12m
Height	4 m
Weight	27 tons
Width	2,50m



TENDER TRUCK
BZ-PB-47

Length	Truck : 12m Width : 2,50m Height : 4,00m
Power Generator	n.a.
Weight	27 tons

IN SERVICE

Width	close : 2,50m open : 4,7m
-------	------------------------------

CONTACT

sales@nl.emglive.com

www.emglive.com